EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	20	vladimir near2 savchenko.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/21 18:15
L2	4	timm near2 falter.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/21 18:15
L3	2	martin near2 huvar.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/21 18:16
L4	17	joachim near2 bender.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/21 18:16
S1	40	(web near2 service wsdl) same (virtual near2 interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 08:56
S2	26	S1 and (@pd<"20031230" or @ad<"20031230" or @prad<"20031230" or @rlad<"20031230")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 10:11
S3	268	"SAP AKTIENGESELLSCHAFT".as.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 09:17
S4	48	S3 and virtual	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 09:18
S5	14	S3 and virtual and (soap uddi wsdl web with service)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 10:08
S6	435	uddi adj (registry server)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 10:11
S7	87	uddi adj (server)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 10:35
S8	59	S7 and (@pd<"20031230" or @ad<"20031230" or @prad<"20031230" or @rlad<"20031230")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 10:33
S9	3	uddi adj (server) and deployment near descriptor	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 10:12

EAST Search History

S10	27	S7 and (@pd<"20031230" or @ad<"20031230" or @prad<"20031230" or @rlad<"20031230") and authenticat$3	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 12:01
S11	23	uddi adj (server) and authenticat$3 and service same (reveal$4 expos$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 10:36
S12	21	uddi adj (server) and authenticat$3 and service same (reveal$4 expos$3) and (name identifier) with (service application)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 10:37
S13	17	S12 and (@pd<"20031230" or @ad<"20031230" or @prad<"20031230" or @rlad<"20031230") and authenticat$3	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 10:37
S14	50	(US-20050278348-$ or US-20060031850-$ or US-20020032797-$ or US-20030204645-$ or US-20050256882-$ or US-20050171910-$ or US-20060064574-$ or US-20030187988-$ or US-20030014733-$ or US-20040220998-$ or US-20060004777-$ or US-20060235882-$ or US-20060129985-$ or US-20050005158-$ or US-20040068731-$ or US-20060149830-$ or US-20040117425-$ or US-20070061277-$ or US-20070124423-$ or US-20020035639-$ or US-20070055676-$ or US-20030208563-$ or US-20040006651-$ or US-20040068554-$ or US-20040122812-$ or US-20040267808-$).did. or (US-20050008022-$ or US-20050010669-$ or US-20050038771-$ or US-20050119921-$ or US-20050138032-$ or US-20050283531-$ or US-20060041522-$ or US-20060095576-$ or US-20060218102-$ or US-20070083476-$ or US-20060229054-$ or US-20030233483-$ or US-20040088713-$ or US-20060026552-$ or US-20050164704-$ or US-20050190692-$ or US-20050257196-$ or US-20060026438-$ or US-20030088678-$).did. or (US-6243451-$ or US-6041325-$ or US-7159224-$ or US-6738083-$ or US-7213056-$).did.	US-PGPUB; USPAT	OR	ON	2007/06/20 12:01
S15	32	S14 and (@pd<"20031230" or @ad<"20031230" or @prad<"20031230" or @rlad<"20031230")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 12:01

Sign in

Google

| bea, deployment descriptor | | Search | Advanced Search |
Preferences

Web   Results **1** - **100** of about **152,000** for bea, <u>deployment descriptor</u>. **(0.08 seconds)**

web.xml **Deployment Descriptor** Elements
This following sections describe the **deployment descriptor** elements defined in the
web.xml file. The root element for web.xml is <web-app>. ...
edocs.**bea**.com/wls/docs61/webapp/web_xml.html - 107k - <u>Cached</u> - <u>Similar pages</u>

weblogic.xml **Deployment Descriptor** Elements
BEA WebLogic Server Release 7.0 Documentation :: Assembling and Configuring
Web Applications.
edocs.**bea**.com/wls/docs70/webapp/weblogic_xml.html - 71k - <u>Cached</u> - <u>Similar pages</u>
[<u>More results from edocs.bea.com</u>]

weblogic.xml **Deployment Descriptor** Elements
eDocs Home > **BEA** WebLogic Server 8.1 Documentation > Developing Web
Applications for WebLogic Server > weblogic.xml **Deployment Descriptor** Elements
...
e-docs.**bea**.com/wls/docs81/webapp/weblogic_xml.html - 97k -
<u>Cached</u> - <u>Similar pages</u>

Enterprise Application **Deployment Descriptor** Elements
The weblogic-application.xml file is the **BEA** WebLogic Server-specific **deployment
descriptor** extension for the application.xml **deployment descriptor** from Sun ...
e-docs.**bea**.com/wls/docs81/programming/app_xml.html - 97k -
<u>Cached</u> - <u>Similar pages</u>
[<u>More results from e-docs.bea.com</u>]

Bill Roth's Blog: SCA and the future of development
More directly, it is a **deployment descriptor** on steroids, that works with any
language, ... Note that SCA support in **BEA** Workshop will be forthcoming. ...
dev2dev.**bea**.com/blog/wgroth2/archive/2005/11/sca_and_the_fut.html - 35k -
<u>Cached</u> - <u>Similar pages</u>

An application's **deployment descriptor** source is visible.
From: **BEA** Systems Inc. Minor Subject: An application's **deployment descriptor**
source is visible. Product(s) Affected: WebLogic Portal Threat level: High ...
dev2dev.**bea**.com/pub/advisory/169 - 30k - <u>Cached</u> - <u>Similar pages</u>
[<u>More results from dev2dev.bea.com</u>]

ISS X-Force Database: weblogic-**deployment-descriptor**-disclosure ...
ISS X-Force Database: weblogic-**deployment-descriptor**-disclosure(24297): **BEA**
WebLogic Portal **deployment descriptor** information disclosure.
xforce.iss.net/xforce/xfdb/24297 - 15k - <u>Cached</u> - <u>Similar pages</u>

dev2dev Forums
<May 8, 2006 2:25:58 AM PDT> <Error> <netuix> <**BEA**-423103> <[] **Deployment
descriptor** /WEB-INF/url-template-config.xml malformed.> javax.servlet. ...